



But why choose one or the other when you can have both? With the Smyle kit and the Aura kit, you take home an effective mix of fast, trouble-free installation and scrupulous design. With the possibility of switching smoothly from doorphone systems to video doorphone systems. Without forgetting the great advantages of the Smyle kit, i.e. the possibility of setting up systems with only two wires, combined with the unmatched versatility of the reduced footprint entrance panel.









Smyle kit, record-breaking dimensions and simplicity.

Whoever would have dreamt of making a kit even simpler? Urmet has designed the Smyle kits with an extremely reduced-size entrance panel to permit installation on a 100-mm wide plate or on a wall without the need for embedding boxes. Smyle breaks all records as regards dimensions: a mere 185 x 99 x 35 mm. Despite its reduced size, Smyle guarantees perfect led type lighting of the entire surface of the name tag. Smyle continues to receive accolades for its extremely simple, fast installation. Without forgetting that the video doorphone version includes a manually-adjustable (from 0° to \pm 5° horizontally and from -10° to +5°

vertically) semi pin-hole TV camera. The kits are completed by the extremely new Atlantico line.

elegance. family version.

KIT

AURA kit, elegance and comfort combined.

The beauty and elegance of the Aura video door entrance panel are now available in kits.

With the possibility of choosing between the singlefamily and two-family version.

This kit, designed to meet the needs of Urmet's most demanding, refined customers, features extremely elegant styling and class-beating video doorphone system technology. With Domus Aura, the entrance panel with its "super mirror" steel front panel, frame and PVD treated brass buttons, unequaled ease of installation go hand in hand with unswerving

The Kit is complete with a standard Atlantico monitor in the single-family version and with two in the two-

The AURA kit can be used to set up video doorphone systems with coax cable.



Kit Audio

Chanderbits	Kitwith Sme med. 1129		
REF.	1129/10 Single-family	1129/501-502 Single-/two-family	
Wiring	2 wires	5 wires	
Entrance panel	SMYLE	SMYLE	
Doorphone	ATLANTICO	ATLANTICO	
Total n° of supplementary services	2	3	
Volume adjustment	YES	YES (with accessory 1132/53)	
Mute	YES	NO	
Total n° of devices in parallel	5	2	
Extra door speaker units	NO	1 (with addition of other devices)	
Intercom service	NO	NO	
Possibility of connecting Scaitel Mod. 1332 switchboard	NO	YES	
Opening of main entrance door	YES	YES	
Possibility of using the kit to set up condominium systems	NO	NO	
Distance (m)	110	300	

Kit Video		not on	id No.	od. The
Characteristic		e tanih ki hod 952	Sugerboortant With	
REF.		952/41	LITIO/CO1 CO2	
Wiring	952/11 2 non-polarized wires	2 non-polarized wires	1710/601-602 7 wires + coax	
Entrance panel	SMYLE	SMYLE	AURA	
Video doorphone	ATLANTICO	ATLANTICO	ATLANTICO	
Tipe of video doorphone	b/w	Color	b/w	
Total n° of supplementary services (door release, stair lights)	1 (with addition of a wire)	1 (with addition of a wire)	2	
Auto-activation	YES	YES	YES (with addition of a wire)	
Volume adjustment	YES	YES	YES	
Mute function	YES	YES	YES	
Intercom	NO	NO	YES (with addition of other devices)	
Door open alert	NO	NO	YES (with bracket 1702/86)	
Total n° of devices in parallel	2	2	2	
N° of wires for connection of devices in parallel	Monitor: Mod. 1702 8 wires with local p.s. unit; Doorphone: Mod. 1133 5 wires; Buzzer: 9854/41 2 wires	Monitor: Mod. 1702 8 wires with local p.s. unit; Doorphone: Mod. 1133 5 wires; Buzzer: 9854/41 2 wires	Monitor: Mod. 1702 7 wires + coax; Doorphone: Mod. 1133 5 wires; Buzzer: 9854/41 2 fili	
Possibility of connecting Scaitel Mod. 1332 switchboard	YES	YES	YES	
Secondary outside door speaker unit	NO	NO	YES	
Different rings from different entrances	NO	NO	YES (with addition of the buzzer 9854/52)	
TV camera	1/3" b/w semi-pin-hole	1/4" color semi-pin-hole	1/3" standard b/w CCD	
Tilting TV camera	YES	YES	YES	
Memory module	NO	NO	NO	
Opening of main door	YES	YES	YES	
Automatic door opening (dentist function)	NO	NO	YES with bracket 1702/86	
Time for door release	YES	YES	NO	
Cyclical panning of control	NO	NO	NO	
Possibility of using the kit to set up condominium systems	NO	NO	YES	
Distance (m)	100	100	300	

KIT



Ref. 1133/1

SMYLE KIT AND AURA KIT

	SMYLE ENTRANCE PANELS DOOR SPEAKER UNIT	-	Doorphone entrance panel, wall-mounted type with 1 button and led type lighting without door speaker unit Doorphone entrance panel, wall-mounted type with 2 buttons and led type lighting without door speaker unit Door speaker unit for 4+n systems 12Vac door speaker unit for 4+n systems	INTEGRAL 2-WIRE DOORPHONE KIT WITH SMYLE ENTRANCE PANEL	The integral 2-wire Audio kit makes it possible to As only 2 wires are required, it is ideal to replace of Characteristics: Max. distance 110 m Call adjustment with mute Mute function: the call mute function is activated 1 extra button for secondary services (opening of with the possibility of adding a second button Pre-engineered for door release with "main entr Possibility of connecting up to 4 doorphones in Dedicated doorphone Mod. 1133	
Ref. 1129/1	KIT AUDIO 4+N		 Single-family doorphone kit with outside door speaker service. The Kit includes: 1 wall-mounted electronic doorphone with 1 service button 1133/1 1 x 9000/230 12Vac transformer, 3 DIN modules 1 entrance panel Mod. 1129/1 with 1 button and led type lighting. 1 door speaker unit 1128/510 Single-family doorphone kit with outside door speaker service as Ref. 1129/501 but for 60Hz systems 		Ref. 1129/10 Integral 2-wire doorph The Kit includes: 1 wall-mounted electr 1 x 9000/230 12Vac tr 1 entrance panel Moo door speaker unit led	
Ref. 1129/501			Two-family doorphone kit with outside door speaker service. The Kit includes: 2 wall-type electronic doorphones with 1 service button 1133/1 1 x 9000/230 12Vac transformer, 3 DIN modules 1 entrance panel Mod. 1129/2 with 2 buttons and led type lighting. 1 door speaker unit 1128/510 Two-family doorphone kit with outside door speaker service. as Ref. 1129/502 but for 60Hz systems	ACCESSORIES	Ref. 1133/55Pack of 10 buttons forRef. 1133/50Tabletop support for ARef. 9854/41Electronic ringerRef. 1129/51*Extra Atlantico doorph Standard call volume	
	ACCESSORIES	Ref. 788/21	Extra ringer for electronic call Extra three-tone ringer	SPARES	Ref. 1129/110Doorphone for 2-wireRef. 1129/112Door speaker unit forRef. 9000/23012Vac transformer* Available in September 05	
Ref. 1129/2		41	Assembly drawing of Kit 1129/501 (V1) single-family doorphone		2 2	
e la		4+1 4+2				

KIT

ble to set up a single-family doorphone system. ce old systems with only bell type call.

ated with mechanical type visual readout ng of vehicle entranceway, stair lights, etc.)

entrance" button s in parallel (connection with 6 wires)



Ref. 1129/10

orphone kit.

lectronic doorphone 1129/110 'ac transformer fitted on 2 DIN module bar Mod. 1129/1 with 1 button, amplified integrated : led type lighting.

s for Atlantico doorphone system


for Atlantico doorphone system

orphone me adjustment, mute and extra button.

wire kit 1129/10 t for 2-wire kit 1129/10

-		-	
			1
6	_	1	
1		-	
V		-	
V	70000	-	
-			î l
	-		

Ref. 1129/1



Assembly drawing of the Kit 1129/10 single-family doorphone

Т



Ref. 1729/1	A standard Atlantico monitor 1702/1 b/w or color 1702/40 combined with bracket 1202/90 (a local power supply unit must be provided) PABX telephone exchange mod 1332		KIT DOMUS AURA	The Domus Aura entrance panel with PVD treated bra doorphone systems with coax cable using the 2-modu entrance panel Ref. 1710/601 Kit for single-family syste The Kit includes: 1 standard Atlantico mon 1 door camera unit 1810/ Door speaker unit 824/5 Video doorphone system and embedding box 1 power supply unit on 1 1 safety key		
		type visual readout with Door opening timer 1-3-	with Mute. Activation of the mute function is indicated by a mechanical exclusion of the call		Ref. 1710/602	Kit for two-family system The Kit includes: 2 standard Atlantico mon 1 door camera unit 1810/ Door speaker unit 824/51 Video doorphone system and embedding box
	2-WIRE B/W VIDEO KIT	Ref. 952/11	2-wire video kit. The Kit includes: 1 standard Atlantico monitor 1702/1 c/w special bracket 1 dedicated door camera unit Mod. 1729/1 and door speaker unit 952/112 1 power supply unit on 7-module DIN bar 1 Allen wrench		1 power supply unit or 1 safety key Note: accessories for Atlantico video doorphone system se	
Ref. 952/41	2-WIRE COLOR VIDEO KIT	Ref. 952/40	2-wire video kit. The Kit includes: 1 standard Atlantico monitor 1702/40 c/w special bracket 1 dedicated door camera unit Mod. 1729/1 and door speaker unit 952/113 1 power supply unit on 7-module DIN bar 1 Allen wrench			
	SPARES FOR KIT	Ref. 952/100	Power supply unit			
Inter Contraction	MOD. 952	Ref. 952/111	Special bracket for Atlantico b/w and color monitor	10 CO	0.0	
12170		Ref. 952/112	Door speaker unit for Kit 952/11 b/w	7+COAX		a al minima.
		Ref. 952/113	Door speaker unit for Kit 952/41 color	6+1+00AX	6+2+COAX	8+2+CDAX
Ref. 952/11						

Ref. 952/11

doorphone system 952/41

Assembly drawing of the Kit: b/w video doorphone system 952/11 and color video

KIT

l brass frame can be used to set up video nodule embedding box of the Sinthesi 1145/52

stem with b/w video door entrance panel.

nonitor 1702/1 c/w bracket 1202/90 810/70 4/500

tem entrance panel 1710/101 with 1 button

on 10 DIN module bar 789/5b

em with b/w video door entrance panel.

nonitors 1702/1 c/w bracket 1202/90 810/70 4/500 tem entrance panel 1710/102 with 2 buttons

on 10 DIN module bar 789/5b

see page 27



Ref. 1710/102

Assembly drawing of the Kit 1710/602 video doorphone system two-family





5